	Application No.	Applicant(s)
	Application No.	
Notice of Allowability	10/017,573	WALSTER ET AL.
Nouce of Anowability	Examiner	Art Unit
	Sergey Datskovskiy	2121
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>Amendment filed on March 16, 2006</u> .		
2. The allowed claim(s) is/are <u>22-28</u> .		
<ul> <li>3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) ☐ All b) ☐ Some* c) ☐ None of the:</li> <li>1. ☐ Certified copies of the priority documents have been received.</li> </ul>		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1) 🔲 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
<ol> <li>DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.</li> </ol>		
Attachment(s)		A (DTO 450)
1. Notice of References Cited (PTO-892)	_	Patent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary Paper No./Mail Da 08), 7. ☐ Examiner's Amendr	(PTO-413), te
<ol> <li>Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date</li> </ol>	)8), /. ∐ Examiner's Amendr	menvComment
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛭 Examiner's Stateme	ent of Reasons for Allowance
	9. 🗌 Other	

## **DETAILED ACTION**

1. The following is a Notice of Allowability in response to the Amendment received on March 16, 2006. Claims 1-21 have been cancelled. Claim 22 has been amended. Claims 22-28 remain pending in this application.

## **REASONS FOR ALLOWANCE**

- 2. Claims 22-28 are allowed.
- 3. The following is an examiner's statement of reasons for allowance:

As per claim 22, the prior art of record taken alone or in combination fails to teach using term consistency to violate equality constrains wherein using term consistency involves intersecting the first interval with an inverse of a function derived from the first interval. Prior art teaches using various consistency algorithms with global optimization, such as, for example, hull consistency and box consistency (see Bliek at al, Van Hentenryck et al., Benhamou et al. and Collavizza et al. listed as pertinent prior art in the Conclusion section of current Office Action). However, said prior art does not teach that consistency involves intersecting the first interval with an inverse of a function derived from the first interval.

Claims 23-28 are allowed based on their dependency upon the allowable independent claim 22.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably

Application/Control Number: 10/017,573

Art Unit: 2121

accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

## Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Bliek et al. ("COCONUT Deliverable D1 Algorithms for Solving Nonlinear Constrained and Optimization Problems: The State of The Art") teaches a state of the art report in the field of nonlinear optimization. The following references teach various types of consistency used in interval analysis: Van Hentenryck et al., "Newton: Constraint Programming over Nonlinear Real Constraints"; Benhamou et al., "Revising hull and box consistency"; Collavizza et al., "Comparing Partial Consistencies".

## Contact Information

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Sergey Datskovskiy whose telephone number is (571) 272-8188. The examiner can normally be reached on Monday-Friday from 8:30am to 5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Anthony Knight, can be reached on (571) 272-3687. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for

Art Unit: 2121

published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

S.D.

Assistant examiner

A.U. 2121

Anthony Knight

**Supervisory Patent Examiner** 

**Technology Center 2100**